

Arch. Mech., 62, 4, pp. 253–281, Warszawa 2010

Bounds on the effective isotropic moduli of thin elastic composite plates

G. DZIERŻANOWSKI

Karlsruhe University of Technology
Faculty of Civil Engineering
al. J. Łukasiewicza 18
60-517 Warszawa, Poland
e-mail: g.dzierzanowski@kfd.pw.edu.pl

The main aim of this paper is to estimate the effective moduli of an isotropic elastic composite analyzed within the framework of the Kirchhoff-Love theory of thin plates in bending. Results of calculations provide explicit functional correlations between the homogenized properties of a composite plate made of two isotropic materials, thus yielding more restrictive bounds on pairs of effective moduli than the classical (uncoupled) Hashin-Shtrikman-Walpole ones. Applying the static-geometric analogy of Lurie and Goldenveizer, enables rewriting of these new bounds in the two-dimensional elasticity (plane stress) setting, thus revealing a link to the formulae previously found by Gibiansky and Cherkaev. Consequently, simple cross-property estimates are proposed for the plate subject to the simultaneous bending and in-plane loads.

Key words: microstructures, inhomogeneous material, plates, optimization, three-basis method.

Copyright © 2010 by IPTT PAN

Bounds on the effective isotropic moduli of thin elastic composite plates, G. Dzierżanowski

Arch. Mech., 62, 4, pp. 253–281, Warszawa 2010

[Read online](#)

The main aim of this paper is to estimate the effective moduli of an isotropic elastic composite, analyzed within the framework of the Kirchhoff-Love theory of thin plates in bending. Results of calculations provide explicit functional correlations between the homogenized properties of a composite plate made of two isotropic materials, thus yielding more restrictive bounds on pairs of effective moduli than the classical (uncoupled)

Hashin-Shtrikman-Walpole ones. Applying the static-geometric analogy of Lurie and Goldenveizer, enables rewriting of these new bounds in the two-dimensional elasticity (plane stress) setting, thus revealing a link to the formulae previously found by Gibiansky and Cherkaev. Consequently, simple cross-property estimates are proposed for the plate subject to the simultaneous bending and in-plane loads.